

# bath 20

## ADDITIONAL COLOUR AND FINISH CHARGE (see new colour chart)

The additional charges are calculated on the base price of RAL 9010 for the coloured versions and on the base price of Glossy Chrome for the plated finishes.

C0 Category	without any additional charge (RAL 9010)
C1 Category	+10%
C2 Category	+15%
C3 Category	+20%
RAL colours not included in the colour chart	+30%
Colours according to samples	request feasibility and cost estimate
PLATED finishes	NOT available



## SUPPORTS

The towel warmers are supplied with standard supports (code ST) that include wall fixing shelves with anchors and wall fixing kit. On request they can be ordered with bracket supports that are permanently welded on the towel warmers and therefore must be specified when placing the order, their code and cost are as follows:

Right side WALL bracket supports	(code MD) €
Left side WALL bracket supports	(code MS) €
CEILING bracket supports	(code SO) €

## PACKING

The cardboard packing box is included in the price of sale of the products, and it contains the complete wall fixing kit.




## CONNECTORS

The BATH 20 range of towel warmers are supplied with "0B1" connectors.

Should different connectors be required, such connections must be strictly specified in the order. IMPORTANT: the connectors of towel warmers and radiators connected to the same system should all be the same, because different connectors could cause operating problems.


### Standard connectors

standard connector always supplied, if not otherwise specified in the order




### Custom-made connectors

Connectors available on request WITH additional charge of €




### Custom-made connectors

Connectors available on request WITH additional charge of €



### Connectors on request

Connectors available on request WITHOUT any additional charge



→ = Position of connectors      S = Air Vent      I = Inter-axis between connectors

To help you properly fill out the code relative to the item requested see code examples on page 5

#### HYDRAULIC VERSION

Code	H (cm)	L (cm)	Inter-axis (cm)	Watts ΔT 50°C Coloured version	Category C0 RAL 9010 (€)	Category C1 (€)	Category C3 (€)	Water Content (l)
BA20#080040	80,5	40,0	36,6	374				3,200
BA20#080435		43,5	40,0	402				3,480
BA20#080050		50,0	46,6	454				4,000
BA20#080535		53,5	50,0	483				4,280
BA20#080060		60,0	56,6	535				4,800
BA20#080635		63,5	60,0	563				5,080
BA20#120040	115,5	40,0	36,6	512				4,500
BA20#120435		43,5	40,0	548				4,894
BA20#120050		50,0	46,6	616				5,625
BA20#120535		53,5	50,0	652				6,019
BA20#120060		60,0	56,6	719				6,750
BA20#120635		63,5	60,0	755				7,144
BA20#150040	150,5	40,0	36,6	656				5,500
BA20#150435		43,5	40,0	702				5,981
BA20#150050		50,0	46,6	786				6,875
BA20#150535		53,5	50,0	832				7,356
BA20#150060		60,0	56,6	916				8,250
BA20#150635		63,5	60,0	962				8,731
BA20#190040	196,0	40,0	36,6	872				7,100
BA20#190435		43,5	40,0	929				7,721
BA20#190050		50,0	46,6	1036				8,875
BA20#190535		53,5	50,0	1094				9,496
BA20#190060		60,0	56,6	1201				10,650
BA20#190635		63,5	60,0	1258				11,271

♦ Inter-axis calculated with standard OB1 connectors

Towel warmers available in stock with OB1 connector  
and in White RAL 9010 colour

# bath 20 electric and dual version

## ELECTRIC VERSION

The standard electric version is supplied with a Class 2 resistor installed on the right side of the towel warmer. The resistor is equipped with safety thermal cut-out and preset temperature control.

## MIXED VERSION (ELECTRIC/WATER)

The mixed version is created with the application of a specific conversion kit that enables the towel warmer to operate both with the heating system's hot water and electrically.

For both versions some variants for room temperature control are available as accessories, specifically:

- Resistor with room thermostat installed in the resistor as shown in the diagram in page i 83.
- Room temperature control with DIGITAL wireless THERMOSTAT programmable with 4 different programs
- Room temperature control with wireless WALL THERMOSTAT featuring temperature adjustment and on/off button.

## ADDITIONAL COLOUR AND FINISH CHARGE (see new colour chart)

The additional charges are calculated on the base price of RAL 9010 for the coloured versions and on the base price of Glossy Chrome for the plated finishes.

C0 Category without any additional charge (RAL 9010)

C1 Category +10%

C2 Category +15%

C3 Category +20%

RAL colours not included in the colour chart +30%

Colours according to samples request feasibility and cost estimate


PLATED finishes NOT available

## SUPPORTS


The towel warmers are supplied with standard supports (code ST) which include wall fixing shelves. The bracket supports are NOT possible in the electric version.

## PACKING

The cardboard packing box is included in the price of sale of the products, and it contains the complete wall fixing kit.





## WIRELESS THERMOSTAT CONNECTION DIAGRAM



## WIRELESS THERMOSTATS

Both these control and temperature customizing solutions require the installation of a radio receiver housed in a specific electrical box, which is to be recessed in the wall.



To help you properly fill out the code relative to the item requested see code examples on page 5

**ELECTRIC VERSION**

Code	H* (cm)	L (cm)	Electric resistor	Resistor type	Category C0 RAL 9010 (€)	Category C1 (€)	Category C3 (€)
BA20E#080040	80,5	40,0	300	Class 2			
BA20E#080435		43,5	300	Class 2			
BA20E#080050		50,0	300	Class 2			
BA20E#080535		53,5	300	Class 2			
BA20E#080060		60,0	600	Class 2			
BA20E#080635		63,5	600	Class 2			
BA20E#120040	115,5	40,0	300	Class 2			
BA20E#120435		43,5	300	Class 2			
BA20E#120050		50,0	600	Class 2			
BA20E#120535		53,5	600	Class 2			
BA20E#120060		60,0	600	Class 2			
BA20E#120635		63,5	600	Class 2			
BA20E#150040	150,5	40,0	600	Class 2			
BA20E#150435		43,5	600	Class 2			
BA20E#150050		50,0	600	Class 2			
BA20E#150535		53,5	600	Class 2			
BA20E#150060		60,0	900	Class 2			
BA20E#150635		63,5	900	Class 2			
BA20E#190040	196,0	40,0	900	Class 2			
BA20E#190435		43,5	900	Class 2			
BA20E#190050		50,0	900	Class 2			
BA20E#190535		53,5	900	Class 2			
BA20E#190060		60,0	1200	Class 2			
BA20E#190635		63,5	1200	Class 2			

\* The height indicated DOES NOT include the space taken up by the electrical resistor that protrudes 5cm downwards.

**DUAL VERSION**

Code	H* (cm)	L (cm)	Electric resistor	Resistor type	Category C0 RAL 9010 (€)	Category C1 (€)	Category C3 (€)
BA20M#080040	80,5	40,0	300	Class 2			
BA20M#080435		43,5	300	Class 2			
BA20M#080050		50,0	300	Class 2			
BA20M#080535		53,5	300	Class 2			
BA20M#080060		60,0	600	Class 2			
BA20M#080635		63,5	600	Class 2			
BA20M#120040	115,5	40,0	300	Class 2			
BA20M#120435		43,5	300	Class 2			
BA20M#120050		50,0	600	Class 2			
BA20M#120535		53,5	600	Class 2			
BA20M#120060		60,0	600	Class 2			
BA20M#120635		63,5	600	Class 2			
BA20M#150040	150,5	40,0	600	Class 2			
BA20M#150435		43,5	600	Class 2			
BA20M#150050		50,0	600	Class 2			
BA20M#150535		53,5	600	Class 2			
BA20M#150060		60,0	900	Class 2			
BA20M#150635		63,5	900	Class 2			
BA20M#190040	196,0	40,0	900	Class 2			
BA20M#190435		43,5	900	Class 2			
BA20M#190050		50,0	900	Class 2			
BA20M#190535		53,5	900	Class 2			
BA20M#190060		60,0	1200	Class 2			
BA20M#190635		63,5	1200	Class 2			

\* The height DOES NOT include the space taken up by the KIT for the MIXED version that protrudes 11,5 cm downwards.  
Mixed version inter-axis: L-10,6 cm. The inter-axis in the MIXED version is not centred in respect to the towel warmer (see diagram)

**ACCESSORIES (for electric and mixed version)**

Code	Description	Finishes	Price (€)
ZRF001	Wall-fitted booster function radio frequency emitter box (EMG TH IMH)-MCT8595		
ZRF002	Weekly programming unit via radio frequency (table version)		
ZRF003	Radiofrequency receiver for wall box (REA 1CIMH A) - MCT8600		
ZRES#S9	WHITE room thermostat for Class 2 resistors	white	
ZRES#S8	GREY room thermostat for Class 2 resistors	grey	

**ELECTRIC VERSION DIAGRAM**

CLASS 2 RESISTOR always supplied on electric version

ROOM THERMOSTAT with Class 2 electric resistor (code ZRES#S8 or S9) supplied with an additional charge in price

**MIXED VERSION DIAGRAM**

Kit for Class 2 ELECTRIC RESISTOR, always supplied in MIXED version

Kit for ROOM THERMOSTAT kit with Class 2 electric resistor (code ZRES#S8 or S9) supplied with an additional charge in price

