

bath curvo

VERSIONS AVAILABLE

- water all the sizes

ADDITIONAL COLOUR AND FINISH CHARGE (see new colour chart)

The additional charges are calculated on the base price of RAL 9010 for the coloured versions and on the base price of Glossy Chrome for the plated finishes.

C0 Category	without any additional charge (RAL 9010)
C1 Category	+10%
C2 Category	+15%
C3 Category	+20%
RAL colours not included in the colour chart	+30%
Colours according to samples	request feasibility and cost estimate

PLATED finishes

G0 Category	without any additional charge (Glossy Chrome)
G1 Category	without any additional charge (Satin-finish Nickel)
G5 Category	+50% (14kt Gold)
G6 Category	+60% (24kt Gold)

SUPPORTS

The towel warmers are supplied with standard supports (code ST) that include wall fixing shelves with anchors and wall fixing kit. On request they can be ordered with bracket supports that are permanently welded on the towel warmers and therefore must be specified when placing the order, their code and cost are as follows:

Right side WALL bracket supports	(code MD) €
Left side WALL bracket supports	(code MS) €
CEILING bracket supports	(code SO) €



The Chrome plated version cannot be supplied with bracket supports

LIMITS

WALL bracket supports	All widths
CEILING bracket supports	All widths

PACKING

The cardboard packing box is included in the price of sale of the products, and it contains the complete wall fixing kit.




CONNECTORS

The BATH Curved range of towel warmers are supplied with "OB1" connectors.

Should different connectors be required, such connections must be strictly specified in the order. IMPORTANT: the connectors of towel warmers and radiators connected to the same system should all be the same, because different connectors could cause operating problems.


Standard connectors

standard connector always supplied, if not otherwise specified in the order



Custom-made connectors

Connectors available on request WITH additional charge of € (NOT available in chrome-plated version)




Custom-made connectors

Connectors available on request WITH additional charge of €



Connectors on request

Connectors available on request WITHOUT any additional charge



→ = Position of connectors S = Air Vent I = Inter-axis between connectors



To help you properly fill out the code relative to the item requested see code examples on page 5

HYDRAULIC VERSION

Code	H (cm)	L (cm)	Inter-axis (cm)	Watts ΔT 50°C		Category C0 RAL 9010 (€)	Category C1 (€)	Category C3 (€)	Chrome plated G0 (€)	Water Content (l)
				Coloured version	Chrome plated version					
BACU#080485	82,6	48,5	44	459	345					2,671
BACU#080585		58,5	54	550	418					2,956
BACU#120485	116,2	48,5	44	610	471					3,653
BACU#120585		58,5	54	732	556					4,033
BACU#150485	149,8	48,5	44	747	585					4,635
BACU#150585		58,5	54	896	689					5,110
BACU#190485	195,4	48,5	44	977	758					6,035
BACU#190585		58,5	54	1172	891					6,653

In the CHROME (plated) version the code BACU becomes BACUG
For correction factors different to ΔT 50°C see page 208

Towel warmers available in stock with OB1 connector and in White RAL 9010 colour or Chrome plated

bath curvo electric and dual version

ELECTRIC VERSION

The standard electric version is supplied with a Class 2 resistor installed on the right side of the towel warmer. The resistor is equipped with safety thermal cut-out and preset temperature control.

MIXED VERSION (ELECTRIC/WATER)

The mixed version is created with the application of a specific conversion kit that enables the towel warmer to operate both with the heating system's hot water and electrically.

For both versions some variants for room temperature control are available as accessories, specifically:

- Resistor with room thermostat installed in the resistor as shown in the diagram in page i 65.
- Room temperature control with DIGITAL wireless THERMOSTAT programmable with 4 different programs
- Room temperature control with wireless WALL THERMOSTAT featuring temperature adjustment and on/off button.

ADDITIONAL COLOUR AND FINISH CHARGE (see new colour chart)

The additional charges are calculated on the base price of RAL 9010 for the coloured versions and on the base price of Glossy Chrome for the plated finishes.

C0 Category	without any additional charge (RAL 9010)
C1 Category	+10%
C2 Category	+15%
C3 Category	+20%
RAL colours not included in the colour chart	+30%
Colours according to samples	request feasibility and cost estimate

PLATED finishes


G0 Category	without any additional charge (Glossy Chrome)
G1 Category	without any additional charge (Satin-finish Nickel)
G5 Category	+50% (14kt Gold)
G6 Category	+60% (24kt Gold)

SUPPORTS


The towel warmers are supplied with standard supports (code ST) which include wall fixing shelves. The bracket supports are NOT possible in the electric version.

PACKING

The cardboard packing box is included in the price of sale of the products, and it contains the complete wall fixing kit.





WIRELESS THERMOSTAT CONNECTION DIAGRAM



WIRELESS THERMOSTATS

Both these control and temperature customizing solutions require the installation of a radio receiver housed in a specific electrical box, which is to be recessed in the wall.



To help you properly fill out the code relative to the item requested see code examples on page 5

ELECTRIC VERSION

Code	H* (cm)	L (cm)	Electric resistor	Resistor type	Category C0 RAL 9010 (€)	Category C1 (€)	Category C3 (€)	Chrome plated G0 (€)
BACUE#080485	82,6	48,5	300 W	Class 2				
BACUE#080585		58,5	600 W	Class 2				
BACUE#120485	116,2	48,5	600 W	Class 2				
BACUE#120585		58,5	900 W	Class 2				
BACUE#150485	149,8	48,5	900 W	Class 2				
BACUE#150585		58,5	900 W	Class 2				
BACUE#190485	195,4	48,5	900 W	Class 2				
BACUE#190585		58,5	1200 W	Class 2				

* The height indicated DOES NOT include the space taken up by the electrical resistor that protrudes 5cm downwards.

DUAL VERSION

Code	H* (cm)	L (cm)	Electric resistor	Resistor type	Category C0 RAL 9010 (€)	Category C1 (€)	Category C3 (€)	Chrome plated G0 (€)
BACUM#080485	82,6	48,5	300 W	Class 2				
BACUM#080585		58,5	600 W	Class 2				
BACUM#120485	116,2	48,5	600 W	Class 2				
BACUM#120585		58,5	900 W	Class 2				
BACUM#150485	149,8	48,5	900 W	Class 2				
BACUM#150585		58,5	900 W	Class 2				
BACUM#190485	195,4	48,5	900 W	Class 2				
BACUM#190585		58,5	1200 W	Class 2				


* The height DOES NOT include the space taken up by the KIT for the MIXED version that protrudes 11,5 cm downwards.
Mixed version inter-axis: L-11,7 cm. The inter-axis in the MIXED version is not centred in respect to the towel warmer (see diagram)

ACCESSORIES (for electric and mixed version)


Code	Description	Finishes	Price (€)
ZRF001	Wall-fitted booster function radio frequency emitter box (EMG TH IMH)-MCT8595		
ZRF002	Weekly programming unit via radio frequency (table version)		
ZRF003	Radiofrequency receiver for wall box (REA 1CIMH A) - MCT8600		
ZRES#S9	WHITE room thermostat for Class 2 resistors	white	
ZRES#S8	GREY room thermostat for Class 2 resistors	grey	

ELECTRIC VERSION DIAGRAM

CLASS 2 RESISTOR always supplied on electric version




ROOM THERMOSTAT with Class 2 electric resistor (code ZRES#S8 or S9) supplied with an additional charge in price



MIXED VERSION DIAGRAM

Kit for Class 2 ELECTRIC RESISTOR, always supplied in MIXED version



Kit for ROOM THERMOSTAT kit with Class 2 electric resistor (code ZRES#S8 or S9) supplied with an additional charge in price

